DURUM Wheat Receival Standards Season 2022/2023 The following standards are based on GTA Standards CSG-130, CSG-131, CSG-132, CSG-150				VITERRY THE AGRICULTURE NETWORK			
	and apply to Durum Wheat receivals for ALL clients delivering in are available.	nto Viterra where		DR1	DR2	DR3	FED1
CATEGOI			CODE				
GLYPHOSATE			GLY		NIL		Within Aust. MRL
TEST WEIGHT		Min (kg/hl)	TW	7	6.0	71.0	62.0
PROTEIN		Min %	PR	13.0	11.5	10.0	NA
MOISTURE	^Max 12.5% all other eastern states	Max %	МО		13	3.5^	
NIR WET GLUTE	'N	%	NWG		No	Limit	T
SCREENINGS	Below 2.0mm Agtator screen	Max % by weight	sc		5.0	10.0	15.0
UNMILLABLE MA	•	Max % by weight	SA		0.6	1.2	2.6
_	IVE GRAINS ual Recognition Standards Guide (VRSG) for definitions and images of Defective G	Maximum % by co	unt per 3	UU grains UNLES	S otnerwise sta	tea	
Sprouted	FN test performed where visually sprouted	Max % by count	SP		NIL		NA
,	Falling number (FN)	Min Seconds	FN	3	00	200	NA
Stained		Max % by count	FS	3	5	20	50
Pink Fungal Stai	ined	Max % by count	PF		2		5
White Grain Disc	order	Max % by count	WG			1	
Field Fungi		Max count per ½ litre	FF		10		40
Dry Green / Sap	ру	Max % by count	GS	1		2	NA
Distorted		Max % by count	DST	1		2	NA
Severely Damag	ged Above 2.0mm Agtator screen	Max count per ½ litre	SD		1		5
Insect Damaged	1	Max % by count	ID		1		4
Vitreous Kernels	5	Min number	VΚ	80	70	1	NA
Bread Wheat		Max % by count	BR		3	5	NA
_	EINANTS  ed Contaminants  es to whole seeds or their equivalent in pieces per entire half litre. Tolerances stal  Colocynth, Double Gee / Spiny Emex / Three Corner Jack, Field Poppy, Horned			seeds named in each	n type, EXCEPT for <b>T</b> y		erances for individual
Type 1*	Poppy, Mexican Poppy, New Zealand Spinach, Opium Poppy, Wild Poppy		S1*			8	
Type 2	Castor Oil Plant, Coriander, Crow Garlic / Wild Garlic, Darling Pea, Peanut Seeds and Pods, Ragweed, Rattlepods, St John's Wort, Starburr, Parthenium Weed			NIL			
Туре За	pe 3a Bathurst Burr, Bellvine, Branched Broomrape, Bulls Head / Caltrop / Cats Heads, Cape Tulip, Cottonseed, Dodder, Noogoora Burr, Thornapple			2			
Type 3b	Vetch (Tare), Vetch (Commercial)			4			
Туре 3с	Blue Heliotrope, Common Heliotrope			2 pods / 8 seeds			
Type 4	Cutleaf Mignonette seeds, Darnel (Drake Seed), Field Bindweed, **Hexham Scent/ Melliot (King Island), Hoary Cress, Mintweed, Night Shades, Paddy Melon, Skeleton Weed, Variegated Thistle ** Hexham Scent is only acceptable if no tainting odour is present			20			
Type 5	Creeping Knapweed / Russian Knapweed, Pattersons Curse / Salvation Jane, S	esbania Pea	S5	40			
Type 6	Columbus Grass, Johnson Grass, Saffron Thistle		S6		10		50
Type 7	Broad Bean, Chickpea, Clover pod, Corn (Maize), Cowpea, Faba Bean, Lentil, L Field), Safflower, Soybean, Sunflower, Onion Weed Pods regardless of size and greater than 5 mm in diameter	d any other seed / pod	<b>S7</b>		1	10	100
Туре 8	2 Row Barley, 6 Row Barley (white), Australian Bindweed, Black Bindweed, Bro Spring Feed Wheat, Oats (Wild), Oats (Black), Oats (Common), Oats (Sand), R Sorghum Grain, Triticale, Turnip Weed and any other foreign seeds not spe above the screen. # No limit for Durum and Red / Spring Feed Wheat	Rice, Ryegrass on Stalk, ecified in types 1-8 in Feed	<b>S8</b>		50	150	400#
	eed not specified in types 1-8 below 2.00mm Agtator screen	Max % by weight	SS	C	).6	1	1.2
Smuts	Ball Smut (Stinking Smut or Bunt) or Covered Smut	Entire Load	SM			NIL	
Loose Smut	our smort stanking smart or burnty. Of Covered Smart	Max count per ½ litre	LS			3	
Cereal Ergot		Max count per 1/2 litre	CE			1	
_	Total number of pieces  Total length of all pieces measured end to end	Max length per ½ litre	RE		າ	! cm	
		Entire Load	PIC	2 cm			
Pickling Compounds, Artificial Colouring  Stored Grain Insects & Pea Weevil - Live  Entire Load			LGI	NIL NIL			
Insects - LARGE (Live or Dead)  Rutherglen bugs, Ladybirds, Locusts, Sitona weevil, Woodbugs, <b>Dead</b>					·	3	
	(Live or Dead) Pea weevil	Max count per ½ litre	LI				
Insects - SMALL Snails - Round a	. (Live or Dead) Aphids, Mites, <b>Dead stored grain insects</b> and/or Conical (Live or Dead)	Max count per ½ litre	SI			10	40
Tolerances refer to	whole bodies, substantially whole (more than half) snall shells, irrespective of size	Max count per ½ litre	SNL		1		10
Sand		Max count per ½ litre	ES		20		50
Earth	Max 5mm in diameter	Max count per ½ litre	EA		1		6
Stones	Above 2.0mm Agtator screen	Max weight per 2.5 litres				grams	0.2
Other Foreign Material Max % by weight  Objectionable Material Entire Load			OFM		0.1		0.2
(a) Stick / Stubble	Stick is defined as ligneous material with dimensions of greater than 3cm in length and 1cm in NOTE: Sticks/Stubble material smaller than 3cm in length and 1cm in diameter that fall throu Screenings and above the screen are classified as Unmillable Material.	n diameter. Igh the screen are classified as	ST				
(b) Odour or Tainting Agents	A commercially unacceptable odour is defined as sour or musty odour that is not considered r be physically detectable through the presence of foreign material. Includes but is not limited Eucalyptus spp.	to, plant parts and seed of	ου		ı	NIL	
(c) Animal Material	Presence of meat meal, bone meal, blood meal, poultry offal meat or any other animal protein includes carcasses of dead animals such as rats and mice.	ns. Restricted material also	AM				
(d) Other	Commercially unacceptable contaminant such as animal excreta, glass, concrete, metal or fer	tilizer.	ОТ				
(e) Water Chemical Residu	The addition of water to grain prior to delivery is a prohibited practice.	Entire Load	WA				
Residues of any chemical compound not approved, or used in contravention of the label or chemicals in excess of the MRL (refer information on declaration)			CR			NIL	
				<u> </u>			1290/2