



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**FOR PRE-HARVEST DESICCATION AND SPRAY TOPPING OF WEEDS
IN SPECIFIED BARLEY**

PERMIT NUMBER – PER82594

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 2 NOVEMBER 2016 TO 31 JULY 2019

Permit Holder:

GRAIN PRODUCERS AUSTRALIA LIMITED
13 Wallace Street
BRAIDWOOD NSW 2622

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

NUFARM WEEDMASTER DST DUAL SALT TECHNOLOGY HERBICIDE

Containing: 470 g/L GLYPHOSATE present as the POTASSIUM and MONO-AMMONIUM SALTS as the only active constituent.

NUFARM WEEDMASTER ARGO DUAL SALT TECHNOLOGY HERBICIDE

Containing: 540 g/L GLYPHOSATE present as the ISOPROPYLAMINE and POTASSIUM SALTS as the only active constituent.

Directions for Use:

Restrains

- DO NOT APPLY TO MALTING BARLEY
- DO NOT apply treatments with spray equipment or under weather conditions that are likely to cause spray drift onto nearby susceptible crops, pastures, or other sensitive plants, or onto natural streams, rivers, wetlands or waterways.

Crop	Purpose	Application Rate
BARLEY (except malting barley)	PRE-HARVEST APPLICATION as a harvest aid ¹ and for spray-topping of annual grass weeds in crop	<u>470 g/L glyphosate product</u> 2 L product / ha <u>540 g/L glyphosate product</u> 1.7 L product / ha

Note 1. Speed of crop desiccation is dependent on crop stage, growing conditions, and weather conditions during and after application.

Critical Use Comments:

- Apply to mature crops from late dough stage (28% moisture content) onwards.
- DO NOT apply more than one (1) treatment per crop.
- Use higher rate when crops are heavy and leaf-shading effects may occur.
- DO NOT apply if heavy rains are imminent.

Ground-based Boom Application:

- Apply in a spray volume of 80 L/ha.
- DO NOT apply with spray droplets smaller than COARSE to VERY COARSE in accordance with nozzle manufacturer specifications that refer to the ASAE S572 Standard or the British Crop Production Council guideline.
- Refer to the APPLICATION section on product labels for further information.

Aerial Application:

- DO NOT apply treatments by aircraft in situations where drift onto sensitive crops and pastures is likely to occur.
- Apply using boom or Micronair equipment in a minimum spray volume of at least 20 L/ha.
- DO NOT apply with spray droplets smaller than COARSE to VERY COARSE in accordance with nozzle manufacturer specifications that refer to the ASAE S572 Standard or the British Crop Production Council guideline.
- Refer to the APPLICATION section on product labels for further information.

Withholding Periods:

Harvest: DO NOT harvest within 7 DAYS after application.

Grazing: DO NOT graze or cut for stock food for 7 DAYS after application.

Jurisdiction:

ALL States and Territories where use approved under this permit would otherwise be an offence against an eligible law of the jurisdiction.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of the permit.

Export of treated produce

Growers should note that MRLs or import tolerances do not exist in all markets for produce treated under this permit. If you are growing produce for export, please check with your buyer or Industry for the latest MRL's and import tolerances before using products in accordance with the instructions in this permit.