

BARLEY Receival Standards Season 2017/2018							
The following standards are based on GTA Standards CSG-20, CSG-21, CSG-22, CSG-10 & CSG-11 respectively, and apply to Barley receivals for all clients delivering into Viterra. These standards are to be applied on individual truck loads and must not be averaged over a number of loads. All Malting / Food varieties must be segregated and be of the CURRENT season.		VARIETY	MALTING / FOOD		FEED		
		Only Acceptable Varieties can be graded as Malt / Food <i>(Refer to Barley Varieties Receival Standards)</i>	MALT 1 HIND	COMP	F1	F2	F3
CATEGORY		CODE					
VARIETAL PURITY	Min %	VA	95	All 2 Row Varieties			
MOISTURE	^Max 12.5% all other eastern states	MO	13.5^				
PROTEIN	Min %	PR	9.0	9.0	NA		
	Max %		12.0	12.5	NA		
COLOUR		CO	No limit				
TEST WEIGHT	Min (kg/hL)	TW	65.0	62.5	60.0	55.0	
RETENTION	Above 2.5mm Agtator screen	RT	70.0	NA			
SCREENINGS	Below 2.2mm Agtator screen	SC	7.0	15.0	25.0	60.0	
GERMINATIVE ENERGY	Min %	GE	95	NA			
GERMINATIVE CAPACITY	Min %	GC	98	NA			
<b>DEFECTIVE GRAINS</b> Maximum % by count per 100 grains UNLESS otherwise stated Refer to the Visual Recognition Standards Guide (VRSG) for definitions and images of Defective Grains							
Shot Grains	RVA / FN test performed where visually shot  Rapid Viscosity Analyser Falling number	Max count per 100 grains	SH	NIL			
		Min Unit	RV	130	NA		
		Min Seconds	FN	300	NA		
Sprouted Grains	RVA / FN does not override sprouted grain visual results	Max count per 100 grains	SP	NIL	NIL	5	No Limit
Dark Tipped		Max count per 100 grains	DC	10	NA		
Field Fungi		Max count per 100 grains	FF	5	NA		
Skinnings		Max count per 100 grains	SK	15	NA		
Cleaved		Max count per 100 grains	CB	1	NA		
Insect Damaged		Max count per ½ litre	ID	10	85		
Dry Green or Sappy		Max count per 100 grains	GB	1	NA		
Distorted		Max count per 100 grains	FR	5	10	20	
Broken Grains		Max % by weight per 100 grams	CK	2.0	5.0	10.0	
Pink Fungal Stained		Max count per ½ litre	PF	1	20	30	
Severely Damaged		Max count per ½ litre	SD	1	2	5	
<b>CONTAMINANTS</b>							
<b>Foreign Seed Contaminants</b> Tolerance applies to whole seeds or their equivalent in pieces per entire ½ litre. Tolerances stated in the table refer to the total of all seeds named in each type, *EXCEPT for Type 1 which are tolerances for individual seeds.							
Wheat / Cereal Rye / Triticale / Rice / Cultivated Oats			FG	85	500	1500	2000
Wild Oats / Wild Radish Pods			BW	25	50	100	100
Barley with Coloured Aleurone Layer (Blue / Black)			CA	NIL	100		
Type 1*	Colocynth, Field Poppy, Horned Poppy, Jute, Long Head Poppy, Mexican Poppy, New Zealand Spinach, Parthenium Weed, Saffron Thistle, Wild Poppy		S1*	8			12
Type 2	Castor Oil Plant, Coriander, Crow Garlic or Wild Garlic, Darling Pea, Opium Poppy, Peanut Seeds and Pods, Ragweed, Rattlepods, St John's Wort, Starburr		S2	NIL			
Type 3a	Bathurst Burr, Bellvine, Branched Broomrape, Bulls Head / Caltrop / Cats Heads, Cape Tulip, Cotton Seed, Dodder, Noogoora Burr, Thornapple		3a	2			
Type 3b	Vetch Tare, Vetch (Commercial)		3b	4	10	20	
Type 3c	Blue Heliotrope, Common Heliotrope		3c	1 pod / 4 seeds			
Type 3d	Double Gee / Spiny Emex / Three Corner Jack		3d	1			
Type 4	Field Bindweed, Cutleaf Mignonette seeds, Darnel (Drake Seed), **Hexham Scent/ Melilot (King Island), Hoary Cress, Mintweed, Night Shades, Paddy Melon, Skeleton Weed, Variegated Thistle <b>** Hexham Scent is only acceptable if no tainting odour is present</b>		S4	20	30		
Type 5	Creeping Knapweed / Russian Knapweed, Pattersons Curse / Salvation Jane, Sesbania Pea		S5	40	50		
Type 6	Columbus Grass, Johnson Grass		S6	NIL	40	80	
Type 7	Broad bean, Chickpea, Clover Pod, Corn (Maize), Cowpea, Faba Bean, Lentil, Lupin, Medic Pods, Pea (Field), Safflower, Soybean, Sunflower, Onion Weed Pod <b>and any other seed or pod greater than 5 mm in diameter</b>		S7	1	10	20	
Type 8	6 Row Barley (white), Australian Bindweed, Bedstraw, Black Bindweed, Brome Grass, Muskweed, Onion Weed, Phalaris Glumes, Poverty Weed, Ryegrass on Stalk, Sheep Weed, Sorghum Grain, Three Horn Bedstraw, Turnip Weed <b>and any other foreign seeds not specified in types 1-7</b>		S8	50	150	300	500
Small Foreign Seeds not specified in types 1-8 below 2.2mm Agtator screen		Max % by weight	SS	0.6	1.2	2.0	2.5
<b>Other Contaminants</b>							
Foreign Material	Other than already specified	Max % by weight	FM	1.0			
Cereal Smut	Includes Ball Smut, Gall Smut and Covered Smut	Entire Load	SM	NIL			
Loose Smut		Max weight in grams per ½ litre	LS	0.1			
Cereal Ergot		Entire Load	CE	NIL			
Ryegrass Ergot	Total No. of pieces in ½ litre and measured end to end	Max count per ½ litre	RE	0.5 cm			
Pickling Compounds, Artificial Colouring		Entire Load	PIC	NIL			
Stored Grain Insects		Live Stored Grain Insects and Live Pea Weevil	LGI	NIL			
Insects - LARGE (Live or Dead)	Rutherglen bugs, Ladybirds, Locusts, Sitona weevil, Woodbugs, Dead Pea weevil	Max count per ½ litre	LI	3			
Insects - SMALL (Live or Dead)	Aphids, Mites, Dead stored grain insects	Max count per ½ litre	SI	10			
Snails - Round and/or Conical (Live or Dead)	Tolerances refer to whole bodies, substantially whole (more than half) snail shells, irrespective of size	Max count per ½ litre	SNL	2	4	10	
Sand		Max count per ½ litre	ES	50			
Earth	Max 5 mm in diameter	Max count per ½ litre	EA	3			
Stones	Using a stone gauge	Max points per 1 litre	SE	1	3	5	8
Objectionable Material		Entire Load	ST				
(a) Sticks	A stick is defined as ligneous material greater than 1cm in length and 0.5cm in diameter. Note that stubble greater than 3cm in length and 1cm in diameter is defined as a stick. Smaller material is included in Foreign Material						
(b) Odour or Tainting agents	A commercially unacceptable odour is defined as sour or musty odour imparted on the barley that is not considered natural, which may or may not be physically detectable through the presence of foreign material. Includes but is not limited to, plant parts and seed of <i>Eucalyptus spp.</i>		OU	NIL			
(c) Restricted Animal Material	Presence of meat meal, bone meal, blood meal, poultry offal meat or any other animal proteins. Restricted material also includes carcasses of dead animals such as rats and mice.		AM				
(d) Other	Commercially unacceptable contaminant such as animal excreta, glass, concrete, metal or fertilizer		OT				
(e) Water	The addition of water to grain prior to delivery is a prohibited practice.		WA				
Chemical Residues		Entire Load	CR	NIL			
Residues of any chemical compound not approved for barley, or used in contravention of the label or chemicals in excess of the MRL (refer to information on declaration)							